

Annual Report of Operations for Year 2019

To comply with NPDES General Permit No. WAG130000 for Federal Aquaculture Facilities and Aquaculture Facilities Located in Indian Country within the Boundaries of the State of Washington

NPDES # for your Facility:	RECEIVE	
WAG130020		
	JAN 24 20	20
Facility & Owner Information		
Facility Name:	250101	VI 10
Keta Creek Hatchery Complex	EPA - REGIO	N 10
Operator Name (Permittee):	Enforcement & Compliance A	ssurance Dr
Hugo Hernandez		
Address:		
39015 172nd Ave SE		
Auburn WA 98092		
Email:	Phone:	
Hugo.Hernandez@muckleshoot.nsn.us	253-876-3341	
Owner Name (if different from operator):		
Muckleshoot Indian Tribe		
Email:	Phone:	
Best Management Practices (BMP) Pl	an	
Has the BMP Plan been reviewed this year? 📕 Yes 🗌 No)	
Does the BMP Plan fulfill the requirements of the General Perr	mit? 📕 Yes 🗌 No	
Summarize any changes to the BMP Plan since the last annua	I report. Attach additional pages if necessa	ıry.
		,
1		

714/2020 2/4/2020

Operations and Production

Total harvestable weight produced in the past calendar year in pounds (lbs): 87,675

Pounds of food fed to fish during the maximum month:

8,077 lbs

List the species grown or held at your facility and the annual production of each in gross harvestable weight. If fish were released rather than harvested, list the weight at time of release.

Species	Fish Produced	Receiving Water(s) to which Fish were Released	Month Released/ Spawned
Chum Salmon	6,025,320	Crisp Creek	~426.4 FPP
Coho Salmon	764,902	Crisp Creek	~16 FPP
Coho Salmon	450,000	Transfer to Elliot Bay Tribal Net Pen	~19FPP

Fill in the table below with production numbers from the past year. List the **maximum** amount of fish on-site and the maximum amount of food fed **per month**.

Month	Total Fish (lbs)	Fish Feed (lbs)	Month	Total Fish (lbs)	Fish Feed (lbs)
January	53,316	7,436	July	13,821	3,732
February	62,357	8,077	August	17,315	3,745
March	40,284	7,270	September	22,303	4,576
April	54,302	7,831	October	28,978	4,306
May	15,311	3,277	November	33,047	4,352
June	12,958	2,841	December	41,656	5,342

Additional Comments: During the months of February, March, April, and May fish are transferred and released.

Solid Waste Disposal

Describe the solid waste disposed of during the calendar year (including fish mortalities).

Type of Solid Disposed	Date Disposed	Location Disposed
Juvenile coho	1/1/19-12/31/19	Upland disposal
Juvenile chum	10/30/19-5/5/19	Upland disposal
Solids collected in the SB	10/15/19	Tribal Landfill
Additional Comments:		

Fish Mortalities

Include a description and the dates of mass mortalities in the past year (more than 5% per week). Attach additional pages, if necessary. Include total mortalities from all causes.

Date	Cause of Deaths	Steps Taken to Correct Problem	Pounds of Fish
7/19/19- 11/10/19	Unknown.	Investigation ongoing.	KETA lost 45846 juvenile coho ~3060lbs
Additional Com	ments:		

Noncompliance Summary

Include a description and the dates of noncompliance events (including spills), the reasons for the incidents, and the steps taken to correct the problems. Attach additional pages, if necessary.
KETA Creek complex was in compliance for the year of 2019.

Inspections & Repairs for Production & Wastewater Treatment Systems

Date Inspected	Date Repaired	Description of System Inspected and/or Repaired
Daily	Monthly maintenance	UV lights were inspected and burnt bulbs were replaced.
Daily	Weekly maintenance	Instrumentation and water filtration equipment monitored weekly.

Aquaculture Drugs and Chemicals

Please indicate whether you used each drug/chemical during the past calendar year. Describe the use of each drug/chemical in more detail on the following pages.

Used in the past year?	Drug or Chemical
□ Yes ☑ No	Azithromycin
□ Yes ■ No	Chloramine-T: See additional reporting requirements on page 7
□ Yes ■ No	Chlorine
□ Yes ■ No	Draxxin
□ Yes ■ No	Erythromycin - injectable
□ Yes ■ No	Erythromycin - medicated feed
■ Yes □ No	Florfenicol (Aquaflor)
■ Yes □ No	Formalin - 37% formaldehyde: See additional reporting requirements on page 7
□ Yes ■ No	Herbicide - describe:
□ Yes ■ No	Hormone - describe:
□ Yes ■ No	Hydrogen Peroxide: See additional reporting requirements on page 7
■ Yes □ No	lodine: See additional reporting requirements on page 7
□ Yes ■ No	Oxytetracycline
□ Yes ■ No	Potassium Permanganate: See additional reporting requirements on page 7
□ Yes ■ No	Romet
□ Yes ■ No	SLICE (emamectin benzoate)
□ Yes ■ No	Sodium Chloride - salt
□ Yes ■ No	Vibrio vaccine
□ Yes □ No	Other:
□ Yes □ No	Other:

Aquaculture Drugs and Chemicals (cont'd)

Describe all drug and/or chemical treatments that occurred during the year. Fill out the information below for each drug or chemical, plus page 7 for water-borne treatments. Attach additional pages as necessary.

Brand Name: Parasite-S	MB for the control	Generic Name: Formalin		
Reason for use: Prophyalactic use for egg treatment				
■ Preventative/Prophylactic □ As-needed	Total quantity of formulated product per treatment (specify units): Acc. to Label	Total quantity of formulated p (specify units): 677.589L	· ·	
Date(s) of treatment: January 2019-Decem	ber 2019		Total number of treatments in past year: 295	
Maximum daily volume of treated water: 75 Gallons per unit	Treatment concentration (specify units): .078ppm882 ppm	Duration and frequency of treat	tment(s):	
Method of application:	☐ Static Bath ☐ Flow-through	☐ Medicated Feed ☐ Other (describe):		
Location in facility chemical was used (check all that apply):	☐ Raceways ☐ Incubation building	☐ Ponds ☐ Off-line settling basin	☐ Other (describe):	
Where did water treated with this chemical go? (check all that apply):	☐ Discharged w/o treatment ☐ Settling basin	☐ Septic System ☐ Publicly owned treatment works	☐ Other (describe):	
	on about how this chemical was uarges into the KETA clarifier. As the			
Brand Name: Bio-Oregon	Feed	Generic Name: AquaFlor		
Descen for year	Feed for cold water diease	Generic Name: AquaFlor		
Descen for year		Total quantity of formulated p (specify units): 2347 lbs	roduct used in past year	
Reason for use: Treatment Preventative/Prophylactic	for cold water diease Total quantity of formulated product per treatment:	Total quantity of formulated p	roduct used in past year Total number of treatments in past year:	
Reason for use: Treatment Preventative/Prophylactic As-needed Date(s) of treatment:	for cold water diease Total quantity of formulated product per treatment:	Total quantity of formulated p	Total number of treatments in past year: 2 :ment(s):	
Reason for use: Treatment Preventative/Prophylactic As-needed Date(s) of treatment: 3/27/19-6/13/19 Maximum daily volume of treated water:	for cold water diease Total quantity of formulated product per treatment: Depends on FPP and DI Treatment concentration (specify units):	Total quantity of formulated p (specify units): 2347 lbs	Total number of treatments in past year: 2 :ment(s):	
Reason for use: Treatment Preventative/Prophylactic As-needed Date(s) of treatment: 3/27/19-6/13/19 Maximum daily volume of treated water: 650 gallons	for cold water diease Total quantity of formulated product per treatment: Depends on FPP and DI Treatment concentration (specify units): 15 mg/kg	Total quantity of formulated p (specify units): 2347 lbs Duration and frequency of treat 10 days at 5 feeding Medicated Feed Other (describe):	Total number of treatments in past year: 2 :ment(s):	
Reason for use: Treatment Preventative/Prophylactic As-needed Date(s) of treatment: 3/27/19-6/13/19 Maximum daily volume of treated water: 650 gallons Method of application: Location in facility chemical was used	for cold water diease Total quantity of formulated product per treatment: Depends on FPP and DI Treatment concentration (specify units): 15 mg/kg Static Bath Flow-through Raceways	Total quantity of formulated p (specify units): 2347 lbs Duration and frequency of treat 10 days at 5 feeding Medicated Feed Other (describe): Ponds Off-line settling basin Septic System	Total number of treatments in past year: 2 ment(s): Is a day Other (describe):	

Aquaculture Drugs and Chemicals (cont'd) Additional Reporting Requirements for Water-Borne Treatments

- If a water-borne treatment was used during the calendar year, Permittees must include detailed records/calculations as an attachment to this Annual Report in order to demonstrate how the maximum effluent concentrations of solution and active ingredient were calculated for each chemical.
- EPA recognizes that water-borne treatments may vary in the volume of the vessels treated, concentration, quantity of product, etc. Permittees must provide the information listed in the following tables for a reasonable worst case (i.e., maximum effluent concentration) scenario, not for each individual treatment.
- Permittees must submit this information and calculate the maximum effluent concentration for each water-borne chemical used during the past calendar year.
- See also Appendix D for the Chemical Log Sheet.

Static Bath Treatments		
Tank Volume	189	Liters
Desired Static Bath Treatment Concentration	100	μg/L
Volume of Product Needed	1.8	Liters Product
Maximum Effluent Concentration of: 1) Solution and 2) Active Ingredient	Solution: 1:100 dilution-100 ppm Active Ingredient: 10% Povidone Iodine	Specify Units
Minimum Volume of Total (treated + untreated) Water Discharged from the Facility per day	4977.816 LPM	Specify Units
Maximum % of Facility Discharge Treated	.038	of Total Discharge

Flow-Through Treatments		
Tank Volume	132.5	Liters
Calculated Flow Rate	7748	Liters/Minute
Duration of Treatment	15	Minutes
Desired Flow-Through Treatment Concentration of Product	1,660,000	μg/L
Amount of Product to Add Initially	.28	Liters Product
Amount of Product to Add During Treatment	40	mL/Minute
Total Volume of Product Needed	.42	Liters Product
Maximum Effluent Concentration of: 1) Solution and 2) Active Ingredient	Solution: 4200 ml Active Ingredient: Formalin .882 ppm	Specify Units
Minimum Volume of Total (treated + untreated) Water Discharged from the Facility per day	1888 GPM	Specify Units
Maximum % of Facility Discharge Treated	1.7%	% of Total Discharge

Changes to the Facility or Operations

Describe any changes to the facility or operations since the last annual report.
There has been no changes to the hatchery facility or operations since the 2018 annual report.

Signature and Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly evaluate and gather the information submitted. Based on my inquiry of the person or persons, who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Hugo Hernandez	Green River Team Leader
Printed name of person signing	Title
4	1/21/2021
Applicant Signature	Date Signed

Submittal Information

Send the complete, signed information, along with any attachments, to the following address:

U.S. EPA Region 10, OWW-191
Washington Hatchery Annual Report

1200 Sixth Avenue, Suite 900

Seattle, WA 98101-3140

Date	Species/Room	ML used	mount of Stack	lrip per mi	Formalin o	Formalin (L)	Minutes	GPM be
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5
12/4/2019	Chum	4200	7	40	280	0.28	15	5

Total use

597000

79200 Gallons used 676200 179

maximum % of facility Dishcarge treated 1.709435668

Ť	Gallo	Total	Total flow	Spring flo	Keta Gravity Inta	Keta Effluent fl	Liters of effluen	PPM Concentra	PPM in Effluent
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339
	75	35	132.489	186	1861.327	2047.459	7747.790836	2113.377415	36.1393339

Clarifier in liters	Flow leavin	PPM at Discha	Sampler
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD
169900.557	189.2705	0.88284647	DD